


16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com

SavannaStone® Profiles Stock Molds – Currently Available

TABLE OF CONTENTS

RECTANGULAR – SMOOTH PROFILES	
RECTANGULAR PROFILES FOR FIELD, BANDS, OR COPING	3
RECTANGULAR – TEXTURED PROFILES	
ROCKFACE AND SLATE	35
CHAMFERED PROFILES	
CHAMFERED PROFILES FOR SILLS, BANDS, TRANSITION BANDS	41
Sills	
SILLS — SINGLE PITCH WITH NO FLAT	83
SINGLE PITCH COPING	
SINGLE PITCH COPING	91
DOUBLE PITCH COPING	
DOUBLE PITCH COPING	105
CHAMFERED COPING	
FLAT COPING WITH CHAMFERED EDGES	115
CORNICES	
CORNICE PROFILES	121
SPECIALTY PROFILES	
CAPS, STEPPED BANDS, ETC.	131



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com

ALL RECTANGULAR PROFILES CAN BE USED AS BANDS, FIELD, HEADERS, OR TURNED FOR COPING.

ID

W

Н

	W	11	11)
	21/4"	75/8"	GW
	21/4"	19"	D
	31/4"	Ō	GZ
	35/8"	15/8"	Q
	35/8"	2 ³ /8"	CA
	35/8"	35/8"	Ш
	35/8"	55/8"	V
	35/8"	75/8"	Z
	35/8"	115/8"	F
0	35/8"	155/8"	U
	35/8"	17"	Z
	35/ ₈ "	235/8"	W
	4½"	41/2"	H
	4³/ ₈ "	75/8"	CE
	4½"	24"	DE
	45/8"	35/8"	DM
	45/8"	65/8"	EV
	45/8"	75/8"	JB
	45/8"	95/8"	M
	45/8"	115/ ₈ "	AY
	45/8"	155/ ₈ "	EZ
	5½"	4"	LH
	5 ⁵ /8"	5	EP
	55/8"	55/8"	EJ


PROFILE TYPE:

RECTANGULAR


SURFACE FINISH:

SMOOTH


REFER TO
INDIVIDUAL
PROFILE (ID) PAGES
FOR DETAILS
AND LENGTHS
AVAILABLE.



W	Н	ID
55/8"	9	ER
55/8"	11"	EQ
55/8"	12"	EW
55/8"	155%"	GL
55/8"	205/8"	GK
53/4"	8"	EL
75/s"	5¾ ₆ "	AZ




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




Profile ID C SUGGESTED USE SII Transition Band Coping \times Сар Field / Band \times Cornice \times Header TYPE / SIZE **AVAILABILITY** LENGTH(S) TYPE 23 %" or 47 %" Straight






16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com






Profile ID		
E		
SUGGESTED USE		
Sill		
Transition Band		
Coping		
Сар		
Band	×	
Cornice		
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	23 %"	
Straight	30"	




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com






Profile ID		
F		
SUGGESTED USE		
Sill		
Transition Band		
Coping	×	
Сар		
Field / Band	×	
Cornice		
Header	×	
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	23 1/8"	




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID		
Q		
SUGGESTE	D USE	
SIII		
Transition Band		
Coping		
Сар		
Band	×	
Cornice		
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	23 ½"	




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID			
V			
SUGGESTE	SUGGESTED USE		
SII			
Transition Band			
Coping			
Сар			
Band	×		
Cornice			
Header	×		
TYPE / SIZE AVAILABILITY			
TYPE	LENGTH(S)		
Straight	23 %"		




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




Profile ID W SUGGESTED USE SII Transition Band Coping X Сар Field / Band X Cornice TYPE / SIZE

AVAILABILITY LENGTH(S) TYPE 23 %" Straight





16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID


Z

SUGGESTED USE

SII	
Transition Band	
Coping	×
Сар	
Field / Band	×
Cornice	
Header	×

TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 1/8"



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com

SUGGESTED USE

Profile ID


AY

SII	
Transition Band	
Coping	×
Сар	
Field / Band	×
Cornice	
Header	×
TYPE / SIZE	


AVAILABILITY LENGTH(S) TYPE 23 %" Straight

45/8"-115/8"





16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION




Profile ID \overline{AZ}

SUGGESTED USE

SII		
Transition Band		
Coping		
Сар		
Band	×	
Cornice		
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	23 ½"	




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID		
CA		
SUGGESTED USE		
Sill		
Transition Band		
Coping		
Сар		
Band	×	
Cornice		
TYPE / S AVAILAB		
TYPE	LENGTH(S)	
Straight	23 ½"	
Left End Return		
Dight End Dotum		




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID CE SUGGESTED USE SII Transition Band Coping Сар Band X Cornice \times Header TYPE / SIZE **AVAILABILITY** LENGTH(S) TYPE 23 %" Straight



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com Profile ID


DE

SUGGESTED USE

_ Sill	
Transition Band	
Coping	×
Сар	
Field / Band	
Cornice	


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	Up to 47 5/8"




CROSS SECTION






16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID	
DJ	
SUGGESTED USE	
Sill	
Transition Band	
Coping	×
Сар	
Field / Band	
Cornice	
TYPE / SIZE AVAILABILITY	
TYPE	LENGTH(S)
Straight	Up to 33"




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION




Profile ID DM SUGGESTED USE SII Transition Band Coping Сар X Band Cornice TYPE / SIZE **AVAILABILITY** LENGTH(S) TYPE 23 %" Straight



X




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID	
EJ	
SUGGESTED USE	
Sill	
Transition Band	
Coping	
Сар	
Band	×
Cornice	
TYPE / SIZE AVAILABILITY	
TYPE	LENGTH(S)
Straight	23 ½"



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID


EL

SUGGESTED USE


SII	
Transition Band	
Coping	
Сар	
Band	×
Cornice	
Header	×
	_

TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 1/8"




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




Profile ID EN SUGGESTED USE Sill Transition Band Coping X Cap Field / Band X Cornice Header X

TYPE / SIZE AVAILABILITY TYPE LENGTH(S) Straight 23 ½" or 47 ½"







16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com Profile ID EP SUGGESTED USE SII Transition Band Coping Сар X Band Cornice TYPE / SIZE **AVAILABILITY** LENGTH(S) TYPE 23 %" Straight







16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION




Profile ID


EQ

SUGGESTED USE

Sill		
Transition Band		
Coping	×	
Сар		
Band	×	
Cornice		
Header	×	
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	35 ½"	



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION




Profile ID


ER

SUGGESTED USE

Sill	
Transition Band	
Coping	
Сар	
Band	×
Cornice	
Header	×
TYPE / S AVAILAB	
TYPE	LENGTH(S)
Straight	23 ½"




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID	
EV	
SUGGESTED USE	
Sill	
Transition Band	
Coping	
Сар	
Band	×
Cornice	
Header	×
TYPE / SIZE AVAILABILITY	
TYPE	LENGTH(S)
Straight	23 ½"



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




Profile ID

EW


SUGGESTED USE		
SII		
Transition Band		
Coping	×	
Сар		
Band	×	
Cornice		
header	×	
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	23 ½"	

CROSS SECTION





16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



Profile ID

GK

SUGGESTED USE

×
×


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	35 ½"


CROSS SECTION

PROFILE GK

ARCH REF:
SCALE: 3"=1'-0"



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



Profile ID

GL

SUGGESTED USE


Sill	
Transition Band	
Coping	
Сар	
Band	×
Cornice	
Header	×

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	35 ½"

CROSS SECTION






16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID GM SUGGESTED USE SIII Transition Band Coping X Сар Band X Cornice \times Header TYPE / SIZE **AVAILABILITY** LENGTH(S) TYPE Straight 35 %"



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID


GW

SUGGESTED USE


Sill	
Transition Band	
Coping	×
Сар	
Field / Band	×
Cornice	

TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 ½"



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



Standard Length 23 $\frac{5}{8}$ "

CROSS SECTION



Profile ID


GZ

SUGGESTED USE


SIII	
Transition Band	
Coping	
Сар	
Band	×
Cornice	

TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	Up to 25 ¹³ / ₁₆ "
Left End Return	
Right End Return	



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID HG SUGGESTED USE


Sill
Transition Band
Coping
Cap
Band
X
Cornice

AVAILABILITY


TYPE LENGTH(S)

Straight 23 1/8"

TYPE / SIZE



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID


HJ

SUGGESTED USE


SII	
Transition Band	
Coping	
Сар	
Band	×
Cornice	

TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	Up to 27 1/4"
Left End Return	Up to 34 1/8"
Right End Return	Up to 34 1/8"



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



FRONT VIEW

STRAIGHT

Profile ID		
ЈВ		
SUGGESTED USE		
SII		
Transition Band		
Coping		
Сар		
Band	×	
Field		
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	23 ⁵ / ₈ "	



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com PROFILE TYPE:


RECTANGULAR

SURFACE FINISH:


TEXTURED

ROCKFACE / SLATE


REFER TO
INDIVIDUAL
PROFILE (ID) PAGES
FOR DETAILS
AND LENGTHS
AVAILABLE.



	W	Н	TEXTURE	ID
	35/8"	35/8"	Rockface	ВБ
D	35/8"	75%"	Rockface	В
B	35/8"	115%"	Rockface	R
	35/8"	35/8"	Slate	HQ
	35/8"	75/8"	Slate	HP



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

В


SUGGESTED USE


SII	
Transition Band	
Coping	
Сар	
Field / Band	×
Cornice	

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	23 %"
Finished End	15 ½"
Inside Return	15 %"
Outside Return	23 %"

TOP VIEWS






16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID		
R		
SUGGESTED USE		
Sill		
Transition Band		
Coping		
Сар		
Field / Band	×	
Cornice		
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	23 ½"	




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID BG SUGGESTED USE SII Transition Band Coping Сар Field / Band X Cornice TYPE / SIZE AVAILABILITY LENGTH(S) TYPE 23 %" Straight



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

HP

SUGGESTED USE

SII	
Transition Band	
Coping	
Сар	
Band	×
Field	×

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	23 ⁵ / ₈ "
Finished End	15½"

TOP VIEWS




STRAIGHT

STRAIGHT - WITH FINISHED END



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

HQ

SUGGESTED USE

SII	
Transition Band	
Coping	
Сар	
Band	×
Field	×

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	23 ⁵ / ₈ "
Finished End	155/8"

TOP VIEWS



STRAIGHT

STRAIGHT - WITH FINISHED END



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910

		Ph: 708	3.333.1900 www.harv	0 F: 708.3 eycement.com
W	Н	Т	F	ID
31/4"	35/8"	21/4"	2 ⁵ /8"	GT
35/8"	35/8"	2 ⁵ /8"	3"	HR
35/8"	35/8"	31/8"	3"	HZ
45/8"	75/8"	35/8"	6 ⁵ /8"	GF
45/8"	75/8"	35/8"	7/8"	BZ
4 ⁵ / ₈ "	155%"	35/8"	145/8"	ES
5"	21/4"	3½"	13/4"	HD
5"	63/4"	21/4"	53/4"	GR
5½"	15/a"	35/8"	1½"	L
5½"	21/4"	1"	13/4"	AA
5½"	23/8"	35/8"	17/a"	CF
5½"	35/8"	5/8"	31/8"	M
5½"	35/8"	15/8"	31/8"	S
5½"	35/8"	35/8"	31/8"	А
5½"	75/8"	11/4"	65/8"	JC
5½"	8"	35/8"	73/8"	<i>6</i> 6
53/8"	ブ"	17/8"	5"	CN
5½"	61/2"	41/2"	5½"	CR
5 ⁵ /8"	31/4"	35/ ₈ "	21/4"	AX
55/8"	35/8"	35/8"	31/8"	AH
5 ⁵ /8"	35/8"	41/8"	31/2"	JA
55/8"	15 %	35/8"	135%"	GJ
61/8"	35/ ₈ "	45/8"	31/8"	CP
61/4"	21/4"	45/8"	1½"	ВХ
65/8"	35/ ₈ "	5½"	31/8"	GB
6 ⁵ /8"	73/8"	35/8"	63/8"	EM


PROFILE TYPE:


CHAMFERED

SURFACE FINISH:

SMOOTH

REFER TO **INDIVIDUAL** PROFILE (ID) PAGES FOR DETAILS AND LENGTHS AVAILABLE.





16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com

W	Н	Т	F	ID
7"	73/8"	33/4"	63/8"	ΕY
7/8"	4"	55/8"	31/8"	CJ
7 5/8"	3 1/8"	1"	31/8"	BP
75/s"	35/8"	35/ ₈ "	25/8"	AV
75/s"	35/8"	35/8"	31/8"	Y
75/8"	35/8"	55/8"	31/8"	AT
75/s"	35/8"	61/8"	31/8"	G
75/8"	6	5½"	2"	HW
75/s"	61/4"	35/ ₈ "	51/4"	AW
8¾;"	2½"	73/8"	1½"	AF
91/8"	35/8"	35/ ₈ "	31/8"	HK
95/8"	61/8"	7/8"	3"	HS
95/8"	73/8"	7½"	3"	HH
95/8"	81/8"	75/8"	3"	HT

PROFILE TYPE:


CHAMFERED


PAGE 2

SURFACE FINISH:


SMOOTH

REFER TO
INDIVIDUAL
PROFILE (ID) PAGES
FOR DETAILS
AND LENGTHS
AVAILABLE.





16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



CAN BE USED AS CORNICE WITH CHAMFER AT BOTTOM EDGE

Profile ID

A


SUGGESTED USE


Sill	×
Transition Band	×
Coping	
Сар	
Band	×
Cornice	×


TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	Up to 51 ½"
Left End Return	25 ½"
Right End Return	25 ½"
Left Inside Return	25 ½"
Right Inside Return	25 ½"

TOP VIEWS















16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION





Profile ID G SUGGESTED USE SIII X Transition Band X Coping Сар X Field / Band Cornice TYPE / SIZE **AVAILABILITY** LENGTH(S) TYPE Up to 35 %" Straight


Up to 37 %"

Up to 37 1/8"

TOP VIEWS








Left End Return


Right End Return

LEFT END RETURN

RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION





CAN BE USED AS CORNICE WITH CHAMFER AT BOTTOM EDGE

Profile ID		
L		
SUGGESTED USE		
Sill	×	
Transition Band	×	
Coping		
Сар	×	
Band	×	
Cornice	×	
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	23 ½"	
Left End Return	25 1/8"	

TOP VIEWS








25 1/8"


Right End Return

LEFT END RETURN

RIGHT END RETURN




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID				
M				
SUGGESTED USE				
Sill	×			
Transition Band				
Coping				
Сар				
Field / Band				
Cornice				
TYPE / SIZE AVAILABILITY				
TYPE	LENGTH(S)			
Straight	Up to 51½"			



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION




Profile ID		
S		
SUGGESTE	ED USE	
Sill	×	
Transition Band	×	
Coping		
Сар		
Field / Band		
Cornice		
TYPE / S AVAILAB		
TYPE	LENGTH(S)	
Straight	up to 53"	
Left End Return	25 ½"	


TOP VIEWS



 $\underline{\mathsf{STRAIGHT}}\text{-}\mathsf{Standard}\;\mathsf{Length}\;23\;\frac{5}{8}"$




LEFT END RETURN




Right End Return

25 1/8"

RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



CAN BE USED AS CORNICE WITH CHAMFER AT BOTTOM EDGE

Profile ID Y SUGGESTED USE SIII X Transition Band X Coping Сар \times

Band


Cornice


 \times


X


TYPE / SIZE AVAILABILITY	
TYPE	LENGTH(S)
Straight	35 ½"
Left End Return	35 ½"
Right End Return	35 %"

TOP VIEWS











16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID	
AA	
SUGGESTE	ED USE
SII	×
Transition Band	×
Coping	
Сар	
Field / Band	
Cornice	
TYPE / S AVAILAB	
TYPE	LENGTH(S)
Straight	23 ½"



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION





CAN BE USED AS CORNICE WITH CHAMFER AT BOTTOM EDGE


Profile ID	
AF	
SUGGESTED USE	
Sill	×
Transition Band	×
Coping	
Сар	×
Band	×
Cornice	×
TYPE / S AVAILAB	
TYPE	LENGTH(S)
Straight	23 ½"
Left End Return	25 ½"
Right End Return	25 ½"
	l

TOP VIEWS










16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



CAN BE USED AS CORNICE WITH CHAMFER AT BOTTOM EDGE

Profile ID

AH


SUGGESTED USE


SII	×
Transition Band	×
Coping	
Сар	×
Band	×
Cornice	×

TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	Up to 35 5/8"
Left End Return	Up to 35 ½"
Right End Return	Up to 35 %


TOP VIEWS






,

RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION




CAN BE USED AS CORNICE WITH CHAMFER AT BOTTOM EDGE

Profile ID AT SUGGESTED USE SIII X X Transition Band Coping Сар \times X Band Cornice X TYPE / SIZE **AVAILABILITY** LENGTH(S) TYPE Up to 35 %" Straight




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID AV SUGGESTED USE SIII X Transition Band Coping Сар Band Cornice TYPE / SIZE **AVAILABILITY** LENGTH(S) TYPE Up to 35 %" Straight



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

AW


SUGGESTED USE

SII	
Transition Band	×
Coping	
Сар	×
Band	×
Cornice	


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 ½"
Left End Return	25 ½"
Right End Return	25 ½"


TOP VIEWS




STRAIGHT




LEFT END RETURN



RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



CAN BE USED AS CORNICE WITH CHAMFER AT BOTTOM EDGE

Profile ID

AX


SUGGESTED USE

SIII	
Transition Band	×
Coping	
Сар	×
Band	×
Cornice	×


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 ½"
Left End Return	25 ½"
Right End Return	25 %"


TOP VIEWS









LEFT END RETURN



RIGHT END RETURN




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID		
BP		
SUGGESTED USE		
SIII	×	
Transition Band	×	
Coping		
Сар		
Field / Band		
Cornice		
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	Up to 35 1/8"	



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION





CAN BE USED AS CORNICE WITH CHAMFER AT BOTTOM EDGE

Profile ID BXSUGGESTED USE SIII X Transition Band X Coping Сар X X Band Cornice X TYPE / SIZE **AVAILABILITY** TYPE LENGTH(S) Straight 23 %"


AVAILABILITY TYPE LENGTH(S) Straight 23 $\frac{5}{8}$ " Left End Return 24 $\frac{5}{8}$ " Right End Return 24 $\frac{5}{8}$ "

TOP VIEWS







LEFT END RETURN




RIGHT END RETURN






16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID		
CF		
SUGGESTED USE		
SII	×	
Transition Band		
Coping		
Сар		
Field / Band		
Cornice		
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	Up to 24 1/8"	



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID


CJ

SUGGESTED USE


×

TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	Up to 47 5/8"



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION

PROFILE CN ARCH REF: SCALE: 3"=1'-0"

Profile ID

CN


SUGGESTED USE

SIII	×
Transition Band	×
Coping	
Сар	×
Field / Band	
Cornice	


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	35 ½"
Left End Return	35 %"
Right End Return	35 ½"

TOP VIEWS




STRAIGHT




LEFT END RETURN



RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID	
СР	
SUGGESTED USE	
Sill	×
Transition Band	
Coping	
Сар	
Field / Band	
Cornice	
TYPE / SIZE AVAILABILITY	
TYPE	LENGTH(S)
Straight	23 1/8"


25 %"

TOP VIEWS






Left End Return




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID	
CR	
SUGGESTED USE	
SII	
Transition Band	
Coping	
Сар	
Band	
Cornice	
Header	×
TYPE / SIZE AVAILABILITY	
TYPE	LENGTH(S)
Straight	Up to 39"



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



CAN BE USED AS CORNICE WITH CHAMFER AT BOTTOM EDGE


Profile ID EM SUGGESTED USE

SII	×
Transition Band	×
Coping	
Сар	×
Band	×
Cornice	×


TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	23 ½"
Left End Return	Up to 29 1/16"
Right End Return	Up to 29 1/16"

TOP VIEWS










16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



Profile ID

ES

SUGGESTED USE

SII	
Transition Band	×
Coping	
Сар	
Band	×
Cornice	


TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	35 ½"
Left End Return	36 ½"
Right End Return	36 ½"

CROSS SECTION


PROFILE ES ARCH REF: SCALE: 3"=1'-0"

TOP VIEWS






RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



CAN BE USED AS CORNICE WITH CHAMFER AT BOTTOM EDGE

Profile ID

EY


SUGGESTED USE

SIII	×
Transition Band	×
Coping	
Сар	×
Band	×
Cornice	×


TYPE / SIZE **AVAILABILITY**

TYPE	LENGTH(S)
Straight	23 ½"
Left End Return	Up to 29 1/6"
Right End Return	Up to 29 1/6"


TOP VIEWS









LEFT END RETURN



RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



CAN BE USED AS CORNICE WITH CHAMFER AT BOTTOM EDGE

Profile ID

GB


SUGGESTED USE


SII	×
Transition Band	×
Coping	
Сар	×
Band	×
Cornice	×


TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	23 ½"
Left End Return	25 ½"
Right End Return	25 ½"

TOP VIEWS










16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



CAN BE USED AS CORNICE WITH CHAMFER AT BOTTOM EDGE

Profile ID

GF


SUGGESTED USE


SII	×
Transition Band	×
Coping	
Сар	×
Band	×
Cornice	×


TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	Up to 35 %"
Left End Return	Up to 35 ¹³ / ₁₆ "
Right End Return	Up to 35 ¹³ / ₁₆ "

TOP VIEWS










16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



CAN BE USED AS CORNICE WITH CHAMFER AT BOTTOM EDGE

Profile ID

GG


SUGGESTED USE


SIII	×
Transition Band	
Coping	
Сар	
Band	×
Cornice	×

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	Up to 23 5/8"
Left End Return	Up to 29 1/8"
Right End Return	Up to 29 1/8"

TOP VIEWS







LEFT END RETURN



RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



Profile ID

GJ

SUGGESTED USE

SIII	
Transition Band	×
Coping	
Сар	
Band	×
Cornice	


TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	35 ½"
Left End Return	35 ¹³ /16"
Right End Return	35 ¹³ /16"

CROSS SECTION


PROFILE GJ ARCH REF: SCALE: 3"=1'-0"

TOP VIEWS










16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



CAN BE USED AS CORNICE WITH CHAMFER AT BOTTOM EDGE

Profile ID

GR

SUGGESTED USE

SII	×
Transition Band	×
Coping	
Сар	
Band	×
Cornice	×

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	Up to 49"
Right End Return	Up to 53 3/16"

TOP VIEWS




STRAIGHT

RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



CAN BE USED AS CORNICE WITH CHAMFER AT BOTTOM EDGE

Profile ID

GT


SUGGESTED USE


SII	×
Transition Band	×
Coping	
Сар	
Band	×
Cornice	×


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 ½"
Left End Return	24 ½"
Right End Return	24 ½"

TOP VIEWS









LEFT END RETURN

RIGHT END RETURN




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID		
HD		
SUGGESTED USE		
Sill	×	
Transition Band		
Coping		
Сар		
Field / Band		
Cornice		
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	Up to 243/16"	



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

HH


SUGGESTED USE


SII	×
Transition Band	×
Coping	
Сар	×
Band	×
Cornice	

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	Up to 27 7/16"
Left End Return	Up to 34 1/8"
Right End Return	Up to 34 1/8"

TOP VIEWS







RIGHT END RETURN




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com






CROSS SECTION






16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



TOP VIEWS



Profile ID


HR

SUGGESTED USE


SIII	×
Transition Band	×
Coping	
Сар	×
Band	×
Field	


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 ⁵ / ₈ "
Left End Return	Up to 295/16"
Right End Return	Up to 295/16"
LER - Custom	Up to 295/16"
RER - Cust	Up to 295/16"











RIGHT END RETURN - CUST




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



TOP VIEWS



Profile ID


HS


SUGGESTED USE


SIII	×
Transition Band	×
Coping	
Сар	×
Band	×
Field	
Cornice	

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	23 ⁵ / ₈ "
Left End Return	25 ⁵ / ₈ "
Right End Return	25½"







16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

HT

SUGGESTED USE


SIII	×
Transition Band	×
Coping	
Сар	×
Band	×
Field	
Cornice	


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 ⁵ / ₈ "
Left End Return	23³/₄"
Right End Return	23¾"


TOP VIEWS








RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

HW


SUGGESTED USE


Sill	×
Transition Band	×
Coping	
Сар	×
Band	×
Field	
Cornice	

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	23 ⁵ / ₈ "
Left End Return	Up to 315/8"
Right End Return	Up to 315/8"

TOP VIEWS










16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

HZ


SUGGESTED USE

SIII	
Transition Band	×
Coping	
Сар	
Band	×
Field	


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 ⁵ / ₈ "
Left End Return	23 ⁵ / ₈ "
Right End Return	23 ⁵ / ₈ "


TOP VIEWS








RIGHT END RETURN




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



TOP VIEWS



Profile ID


JA

SUGGESTED USE


SII	×
Transition Band	
Coping	
Сар	×
Band	×
Field	

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	23 ⁵ / ₈ "
Left End Return	25½"
Right End Return	25½"
Custom Left Ret.	Up to 255/16"
Custom Right Ret.	Up to 255/16"




LEFT END RETURN




CUSTOM LEFT RETURN




RIGHT END RETURN



CUSTOM RIGHT RETURN




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



TOP VIEWS



Profile ID


JC

SUGGESTED USE


SII	×
Transition Band	×
Coping	
Сар	×
Band	
Field	

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	23 ⁵ / ₈ "
Left End Return	23 ⁵ / ₈ "
Right End Return	235/8"



LEFT END RETURN



RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




SILL


SURFACE FINISH:

SMOOTH


REFER TO
INDIVIDUAL
PROFILE (ID) PAGES
FOR DETAILS
AND LENGTHS
AVAILABLE.



W	H1	H2	ID
4 1/8"	4 3/4"	4 3/8"	B∨
5 ½"	7 %"	7"	HC
5 %	7 1/8"	Ö	GA
6 1/8"	3 1/8"	31/8"	GS
6 1/8"	7 5/8"	ブ	HB
8 % "	7 %="	7 1/8"	DZ
20 ½"	6 %	4 ½"	GH




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID		
BV		
SUGGEST	ED USE	
Sill	×	
Transition Band		
Coping		
Сар		
Field / Band		
Cornice		
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	Up to 37 ¹³ / ₁₆ "	



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

DZ

SUGGESTED USE

SII	
Transition Band	
Coping	
Сар	×
Field / Band	
Cornice	


TYPE / SIZE **AVAILABILITY**

TYPE	LENGTH(S)
Straight	23 ½"
Left End Return	25 ½"
Right End Return	25 ½"


TOP VIEWS




STRAIGHT




LEFT END RETURN



RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

GA

SUGGESTED USE

SII	×
Transition Band	
Coping	
Сар	×
Field / Band	
Cornice	


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 ½"
Left End Return	Up to 29 5/16"
Right End Return	Up to 29 5/16"


FRONT VIEWS

STRAIGHT LEFT END RETURN

RIGHT END RETURN




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID			
GH			
SUGGEST	SUGGESTED USE		
Sill	×		
Transition Band			
Coping			
Сар			
Field / Band			
Cornice			
TYPE / SIZE AVAILABILITY			
TYPE	LENGTH(S)		
Straight	Up to 21 1/8"		



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com GS


Profile ID

SUGGESTED USE

Sill	×
Transition Band	
Coping	
Сар	
Field / Band	
Cornice	

TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	Up to 47 ¹⁵ / ₁₆ "
Lug - Left End	Up to 53 3/16"
Lug - Right End	Up to 53 3/16"




CROSS SECTION




TOP VIEWS




STRAIGHT






LUG - RIGHT END



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

HB


SUGGESTED USE

SIII	×
Transition Band	
Coping	
Сар	×
Field / Band	
Cornice	

TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 1/8"
Left End Return	Up to 31 ¹³ / ₁₆ "
Right End Return	Up to 31 13/16"

TOP VIEWS




STRAIGHT




LEFT END RETURN



RIGHT END RETURN




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION





Profile ID		
НС		
SUGGESTED USE		
SII	×	
Transition Band		
Coping		
Сар		
Field / Band		
Cornice		
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	23 ½"	



H2

16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com





W	H1	H2	ID
6 1/8"	2 3/8"	1½"	BY
ڻ	2 ½"	2"	C
8 ³ / ₄	3 ½"	31/8"	D
Ö	2 1/8"	2"	ВН
Ō	3 ½"	3"	Ω
10"	あ	2"	D
11"	3 ½"	31/8"	Т
11"	4"	3½"	BZ
12"	2 ½"	2"	GX
12 1/2"	2 ½"	2"	CG
13"	3½"	2½"	D
14"	2 ½"	2"	CL
15"	4"	31/4"	AE


PROFILE TYPE:

SINGLE PITCH **COPING**


SURFACE FINISH:

SMOOTH

REFER TO INDIVIDUAL PROFILE (ID) PAGES FOR DETAILS AND LENGTHS AVAILABLE.



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

D


SUGGESTED USE

SII	×
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 1/8"
Left End Return	23 ½"
Right End Return	23 1/8"


TOP VIEWS




STRAIGHT




LEFT END RETURN



RIGHT END RETURN




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION



Profile ID		
P		
SUGGESTED USE		
SII	×	
Transition Band		
Coping	×	
Сар		
Field / Band		
Cornice		
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	23 ½"	



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

T


SUGGESTED USE

SIII	×
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	

TYPE / SIZE **AVAILABILITY**

TYPE	LENGTH(S)
Straight	35 ½"
Left End Return	36 ½"
Right End Return	36 ½"

TOP VIEWS




STRAIGHT



LEFT END RETURN



RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com Profile ID


AE

SUGGESTED USE

SIII	×
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	

TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	Up to 47 1/8"
Left End Return	Up to 47 1/8"
Right End Return	Up to 47 1/8"



CROSS SECTION


PROFILE AE

ARCH REF:
SCALE: 1-1/2"=1'-0"

TOP VIEWS




STRAIGHT






RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

BH

SUGGESTED USE

SII	×
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	Up to 25 5/8"
Left End Return	Up to 26 5/8"
Right End Return	Up to 26 5/8"


TOP VIEWS




STRAIGHT




LEFT END RETURN



RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

BN

SUGGESTED USE

SII	×
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	Up to 35 %"
Left End Return	Up to 36 %
Right End Return	Up to 36 ½"

TOP VIEWS




STRAIGHT




LEFT END RETURN



RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

BY

SUGGESTED USE

SIII	×
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	

TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 ½"
Left End Return	24 ½"
Right End Return	24 ½"

TOP VIEWS









STRAIGHT LEFT END RETURN

RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID CC SUGGESTED USE


SUGGESTED USE	
SII	×
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	

TYPE / SIZE AVAILABILITY	
TYPE	LENGTH(S)
Straight	23 ½"
Left End Return	23 ½"
Right End Return	23 ½"


TOP VIEWS




STRAIGHT




LEFT END RETURN



RIGHT END RETURN




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION




Profile ID		
CD		
SUGGESTED USE		
SII	×	
Transition Band		
Coping	×	
Сар		
Field / Band		
Cornice		
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	23 ½"	



Ph: 708.333.1900 F: 708.333.1910

16030 Park Avenue, Harvey, IL 60426 www.harveycement.com



CROSS SECTION



Profile ID CG


SUGGESTED USE


Sill	×
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	


TYPE / SIZE **AVAILABILITY**


TYPE	LENGTH(S)
Straight	23 1/8"
Left End Return	23 ½"
Right End Return	23 1/8"

TOP VIEWS










16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

CL


SUGGESTED USE


Sil	×
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	

TYPE / SIZE **AVAILABILITY**


TYPE	LENGTH(S)
Straight	23 1/8"
Left End Return	23 %"
Right End Return	23 1/8"

TOP VIEWS











RIGHT END RETURN




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID		
DL		
SUGGESTED USE		
SII	×	
Transition Band		
Coping	×	
Сар		
Field / Band		
Cornice		
TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	Up to 34"	




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



Profile ID

SIII	×
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	


TYPE / SIZE AVAILABILITY		
TYPE	LENGTH(S)	
Straight	23 1/8"	
Left End Return	23 ½"	
Right End Return	23 ½"	





CROSS SECTION




TOP VIEWS







RIGHT END RETURN




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com PROFILE TYPE:

DOUBLE PITCH COPING


SURFACE FINISH:

SMOOTH


REFER TO
INDIVIDUAL
PROFILE (ID) PAGES
FOR DETAILS
AND LENGTHS
AVAILABLE.



W	H1	H2	ID
12"	2 ½"	21/8"	Н
13"	3 ½"	31/8"	AR
13"	75/8"	1 ½"	AM
14"	4"	3"	CX
18"	3 ½ "	3 ½"	AK
18"	4"	3"	DK
19"	3 5/8"	31/8"	DH
26"	3 1/8"	31/8"	A
28"	6 3/4"	5 3/4"	BD



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

Н


SUGGESTED USE

SIII	
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	Up to 25"
End Return	Up to 31"


TOP VIEWS



STRAIGHT



END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com


Profile ID AJ

SUGGESTED USE

SII	
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	


TYPE / SIZE

AVAILABILITY		
TYPE	LENGTH(S)	
Straight	Up to 28 1/4"	




CROSS SECTION

ARCH REF: SCALE: 1-1/2"=1'-0"



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION




Profile ID AK SUGGESTED USE SIII Transition Band Coping X Сар X Field / Band Cornice TYPE / SIZE **AVAILABILITY** TYPE LENGTH(S) Up to 44 3/8" Straight Left End Return

Right End Return



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

AM


SUGGESTED USE

Sill	
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 ½"
Left End Return	20"
Right End Return	20"
End Return	23 %"


TOP VIEWS









END RETURN




LEFT END RETURN



RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

AR


SUGGESTED USE


SIII	
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	23 ½"
End Return	24 3/4"

TOP VIEWS





END RETURN



Profile ID

BD


SUGGESTED USE

SII	
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	23 1/8"
End Return	14"

TOP VIEWS




SCALE: 1 1/2"=1'-0"


STRAIGHT



END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

CX

SUGGESTED USE

SII	
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	


TYPE / SIZE **AVAILABILITY**

TYPE	LENGTH(S)
Straight	23 ½"
Left End Return	24 ¹³ / ₁₆ "
Right End Return	24 ¹³ / ₁₆ "
End Return	24 5/8"


TOP VIEWS




STRAIGHT




LEFT END RETURN




RIGHT END RETURN



END RETURN




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION




TOP VIEWS




LEFT END RETURN



END RETURN




STRAIGHT



RIGHT END RETURN

DRIP EDGE - OPTIONAL



Profile ID


DH

SUGGESTED USE


SIII	
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	

TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	35 ½"
Left End Return	35 ½"
Right End Return	35 ½"
End Return	35 1/8"



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

DK


SUGGESTED USE

SIII	
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 ½"
End Return	24 ½"


TOP VIEWS



STRAIGHT



END RETURN




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com PROFILE TYPE:

CHAMFERED COPING


SURFACE FINISH:

SMOOTH




REFER TO
INDIVIDUAL
PROFILE (ID) PAGES
FOR DETAILS
AND LENGTHS
AVAILABLE.

W1	H1	W2	H2	ID
10"	3 ½"	؈ؖ۬	31/8"	BT
12"	3 ½"	10"	31/8"	BL
14"	3 1/8"	12"	31/8"	ВQ
31"	3 1/8"	28"	31/8"	DR
31"	4"	21"	31/4"	DB



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

BL


SUGGESTED USE


SIII	
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	


TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	Up to 47 1/8"
End Return	20"

TOP VIEWS









16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com

Profile ID

BT

SUGGESTED USE

Sill	
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	Up to 47 1/8"
Left End Return	Up to 47 1/8"
Right End Return	Up to 47 1/8"


35/8" 31/8" DRIP EDGE DRIP EDGE


CROSS SECTION




TOP VIEWS









16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com

Profile ID

DB

SUGGESTED USE

SII	
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	Up to 38"
End Return	Up to 21 3/4"

31" 21" 5" DRIP EDGE DRIP EDGE


CROSS SECTION

PROFILE DB ARCH REF: SCALE: 1-1/2"=1'-0"


TOP VIEWS



STRAIGHT



END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com

Profile ID

DR

SUGGESTED USE

SII	
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	Up to 25 ½"
End Return	Up to 25 ½"


1½" 28" 28" 35/8" DRIP EDGE DRIP EDGE

CROSS SECTION




TOP VIEWS





END RETURN




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com PROFILE TYPE:

CORNICE


SURFACE FINISH:

SMOOTH


REFER TO
INDIVIDUAL
PROFILE (ID) PAGES
FOR DETAILS
AND LENGTHS
AVAILABLE.



W1	Н	W2	ID
VV 1	11	VV Z	110
6³/ ₈ "	75/8"	43/8"	×
6 ⁵ /8"	155/ ₈ "	5½"	Z
75%"	6	5½"	HW
95/8"	5¾ ₆ "	75/8"	ВА
95/8"	55/8"	75/8"	EH
95/8"	61/8"	7½"	HS
95/8"	73/8"	7½"	HH
95/8"	81/8"	7½"	HT
11"	6"	73/4"	EΚ



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



Profile ID

N

SUGGESTED USE

SII	
Transition Band	
Coping	
Сар	
Field / Band	×
Cornice	×

TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 %"
Left End Return	25 ½"
Right End Return	25 ½"


CROSS SECTION




FRONT VIEWS




STRAIGHT




LEFT END RETURN



RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

X

SUGGESTED USE


SII	
Transition Band	
Coping	
Сар	
Field / Band	×
Cornice	×

TYPE / SIZE AVAILABILITY


AVAILABILITY	
TYPE	LENGTH(S)
Straight	35 ½"
Left End Return	Up to 38 3/8"
Right End Return	Up to 38 3/8"

FRONT VIEWS

STRAIGHT	LEFT END RETURN	RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

BA

SUGGESTED USE

SIII	
Transition Band	
Coping	
Сар	
Field / Band	×
Cornice	×

TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 1/8"
Left End Return	25 ¹³ / ₁₆ "
Right End Return	25 ¹³ /16"

TOP VIEWS




STRAIGHT




LEFT END RETURN



RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION

PROFILE EH

ARCH REF:
SCALE: 3"=1'-0"

Profile ID

EH

SUGGESTED USE

SIII	
Transition Band	
Coping	
Сар	
Field / Band	×
Cornice	×

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	23 ½"
Left End Return	23 %"
Right End Return	23 %"

FRONT VIEWS




STRAIGHT LEFT END RETURN

RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

EK

SUGGESTED USE


SII	
Transition Band	
Coping	
Сар	
Field / Band	×
Cornice	×

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	23 ½"
Left End Return	Up to 32 ¹³ / ₁₆ "
Right End Return	Up to 32 ¹³ / ₁₆ "

FRONT VIEWS

STRAIGHT	LEFT END RETURN	RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



PROFILE HH

ARCH REF:
SCALE: 3"=1'-0"

Profile ID

HH

SUGGESTED USE


SII	
Transition Band	
Coping	
Сар	
Band	×
Cornice	×

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	Up to 27 7/16"
Left End Return	Up to 34 1/2"
Right End Return	Up to 34 1/8"

FRONT VIEWS

STRAIGHT	LEFT END RETURN	RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



FRONT VIEWS

STRAIGHT

LEFT END RETURN

HS

Profile ID


SUGGESTED USE

Sil	
Transition Band	
Coping	
Сар	
Band	
Field	
Cornice	×


TYPE / SIZE **AVAILABILITY**

TYPE	LENGTH(S)
Straight	235/ ₈ "
Left End Return	25½"
Right End Return	255/8"

RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

HT

SUGGESTED USE

SIII	
Transition Band	
Coping	
Сар	
Band	
Field	
Cornice	×


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23½"
Left End Return	233/4"
Right End Return	233/4"

FRONT VIEWS




STRAIGHT




LEFT END RETURN



RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



_ <	3.1	-
フrのt	ile	ر اا

HW

SUGGESTED USE

Sill	
Transition Band	
Coping	
Сар	
Band	
Field	
Cornice	×


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 ⁵ / ₈ "
Left End Return	Up to 315/8"
Right End Return	Up to 315/8"

FRONT VIEWS




STRAIGHT



LEFT END RETURN




RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com

PROFILE SHAPES DIFFER FOR EACH PROFILE. SEE TABLE BELOW.



PROFILE TYPE:


SPECIALTY

SURFACE FINISH:


SMOOTH

REFER TO
INDIVIDUAL
PROFILE (ID) PAGES
FOR DETAILS
AND LENGTHS
AVAILABLE.

W	Н	ID	COMMENTS
3 1/8"	2 3/8"	M	Cast Stone "Brick"
4 3/4"	21/4"	AG	Bullnose
51/2"	45/8"	H	Сар
5 %	7½"	GN	Stepped Band
61/2"	75/8"	EC	Сар
8 % "	2 3/4"	AS	Сар
8 % "	7 5/8"	C	Сар
12"	3 3/4"	CK	Square Cap
12"	51/4"	AL	Coping/Cap
22"	4½"	DP	Stepped Cap



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION




Profile ID	
AG	
SUGGESTED USE	
SIII	×
Transition Band	×
Coping	
Сар	
Field / Band	×
Cornice	
TYPE / SIZE AVAILABILITY	
TYPE	LENGTH(S)
Straight	Up to 35 %"
Left End Return	Up to 35 5/8"
Riaht End Return	Up to 35 5/2"


STRAIGHT

LEFT END RETURN

RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

AL

SUGGESTED USE

Sill	
Transition Band	
Coping	×
Сар	×
Field / Band	
Cornice	


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	Up to 35 5/8"
Left End Return	Up to 35 ½"
Right End Return	Up to 35 1/8"


TOP VIEWS




STRAIGHT




LEFT END RETURN



RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

AS


SUGGESTED USE

SIII	
Transition Band	
Coping	
Сар	×
Field / Band	
Cornice	


TYPE / SIZE **AVAILABILITY**

TYPE	LENGTH(S)
Straight	23 1/8"
Left End Return	25 ½"
Right End Return	25 ½"

TOP VIEWS




STRAIGHT




LEFT END RETURN



RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

CK


SUGGESTED USE


SIII	
Transition Band	
Coping	
Сар	×
Field / Band	
Cornice	

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Сар	12"

TOP VIEW






16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION






Profile ID	
CM	
SUGGESTE	ED USE
SIII	
Transition Band	
Coping	
Сар	
Field / Band	×
Cornice	
TYPE / S AVAILAB	
TYPE	LENGTH(S)
Straight	7 %"



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

CY


SUGGESTED USE

SII	
Transition Band	
Coping	
Сар	×
Field / Band	
Cornice	


TYPE / SIZE AVAILABILITY

TYPE	LENGTH(S)
Straight	23 %"
Left End Return	25 ½"
Right End Return	25 ½"


TOP VIEWS




STRAIGHT



LEFT END RETURN




RIGHT END RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com

TOP VIEW



Profile ID


DP

SUGGESTED USE

Sill	
Transition Band	
Coping	
Сар	×
Field / Band	
Cornice	

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Сар	13 3/4"




CROSS SECTION

PROFILE DP

ARCH REF:
SCALE: 3"=1'-0"




16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



TOP VIEWS



Profile ID


EC

SUGGESTED USE


SII	
Transition Band	×
Coping	
Сар	×
Band	
Field	

TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	235/ ₈ "
Left End Return	Up to 235/8"
Right End Return	Up to 235/8"
Custom Left Ret.	Up to 235/8"
Custom Right Ret.	Up to 235/8"




LEFT END RETURN




CUSTOM LEFT RETURN




RIGHT END RETURN



CUSTOM RIGHT RETURN



16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com



CROSS SECTION



Profile ID

GN


SUGGESTED USE


SIII	
Transition Band	
Coping	
Сар	
Field / Band	×
Cornice	


TYPE / SIZE AVAILABILITY


TYPE	LENGTH(S)
Straight	35 ½"
Left End Return	35 ½"
Right End Return	35 ½"

TOP VIEWS











16030 Park Avenue, Harvey, IL 60426 Ph: 708.333.1900 F: 708.333.1910 www.harveycement.com




CROSS SECTION




TOP VIEWS





STRAIGHT



LEFT END RETURN



Right End Return

Up to 283/4"

RIGHT END RETURN